















ROTATE WHEEL



	 mm	 mm	 mm	 mm			 kg
802 RPR 080	80	30	43	110	85*100	60*80	80
802 RPR 100	100	35	50	140	108*108	77*77	110
802 RPR 125	125	40	51	169	108*108	77*77	170
802 RPR 150	150	45	51	191	108*108	77*77	210
802 RPR 200	200	50	56	239	138*115	75*102	320








STATIONARY WHEEL



	 mm	 mm	 mm	 mm			 kg
805 RPR 080	80	30	43	110	85*100	52*76	80
805 RPR 100	100			140	83*117	49*92	110
805 RPR 125	125	40	51	169	83*117	49*92	170
805 RPR 150	150	45	51	191	83*117	49*92	210
805 RPR 200	200	50	56	239	138*115	75*102	320








BRAKE SWIVEL WHEEL



	 mm	 mm	 mm	 mm			 kg
802 RPR 080F	80	30	43	110	85*100	60*80	80
802 RPR 100F	100	35	50	140	108*108	77*77	110
802 RPR 125F	125	40	51	169	108*108	77*77	170
802 RPR 150F	150	45	51	191	108*108	77*77	210
802 RPR 200F	200	50	56	239	138*115	75*102	320








ROTATE WHEEL



	 mm	 mm	 mm	 mm			 kg
802 RPR 080	80	30	43	110	85*100	52*76	80
802 RPR 100	100	35	50	140	83*117	49*92	110
802 RPR 125	125	40	51	169	83*117	49*92	170
802 RPR 150	150	45	51	191	83*117	49*92	210
802 RPR 200	200	50	56	239	138*115	75*102	320








STATIONARY WHEEL



	 mm	 mm	 mm	 mm			 kg
805 RPR 080	80	30	43	110	85*100	52*76	80
805 RPR 100	100	35	50	140	83*117	49*92	110
805 RPR 125	125	40	51	169	83*117	49*92	170
805 RPR 150	150	45	51	191	83*117	49*92	210
805 RPR 200	200	50	56	239	138*115	75*102	320








BRAKE SWIWEL WHEEL



	 mm	 mm	 mm	 mm			 kg
802 RPR 080F	80	30	43	110	85*100	60*80	80
802 RPR 100F	100	35	50	140	108*108	77*77	110
802 RPR 125F	125	40	51	169	108*108	77*77	170
802 RPR 150F	150	45	51	191	108*108	77*77	210
802 RPR 200F	200	50	56	239	138*115	75*102	320








ROTATE WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 KG
802 SLP 080	80	30	43	110	85*100	60*80	60
802 SLP 100	100	35	50	140	108*108	77*77	75
802 SLP 125	125	40	51	169	108*108	77*77	110
802 SLP 150	150	45	51	191	108*108	77*77	130
802 SLP 160	160	45	51	196	108*108	77*77	130
802 SLP 170	170	45	51	201	108*108	77*77	140
802 SLP 200	200	50	56	239	138*115	75*102	180
802 SLR 200	200	50	56	239	138*115	75*102	180








STATIONARY WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
805 SLP 080	80	30	43	110	85*100	52*76	60
805 SLP 100	100	35	50	140	83*117	49*92	75
805 SLP 125	125	40	51	169	83*117	49*92	110
805 SLP 150	150	45	51	191	83*117	49*92	130
805 SLP 160	160	45	51	196	83*117	49*92	130
805 SLP 170	170	45	51	201	83*117	49*92	140
805 SLP 200	200	50	56	239	138*115	75*102	180
805 SLR 200	200	50	56	239	138*115	75*102	180








BRAKE SWIVEL WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
802 SLP 080F	80	30	43	110	85*100	60*80	60
802 SLP 100F	100	35	50	140	108*108	77*77	75
802 SLP 125F	125	40	51	169	108*108	77*77	110
802 SLP 150F	150	45	51	191	108*108	77*77	130
802 SLP 160F	160	45	51	196	108*108	77*77	130
802 SLP 170F	170	45	51	201	108*108	77*77	140
802 SLP 200F	200	50	56	239	138*115	75*102	180
802 SLR 200F	200	50	56	239	138*115	75*102	180








ROTATE WHEEL



	 mm	 mm	 mm	 mm			 kg
802 MLP 080	80	30	43	110	85*100	60*80	150
802 MLP 100	100	35	50	140	108*108	77*77	200
802 MLP 125	125	40	51	169	108*108	77*77	230
802 MLP 150	150	45	51	191	108*108	77*77	250
802 MLP 200	200	50	56	239	138*115	75*102	330








STATIONARY WHEEL



	 mm	 mm	 mm	 mm			 kg
805 MLP 080	80	30	43	110	85*100	57*76	150
805 MLP 100	100	35	50	140	83*117	49*92	200
805 MLP 125	125	40	51	169	83*117	49*92	230
805 MLP 150	150	45	51	191	83*117	49*92	250
805 MLP 200	200	50	56	239	138*115	75*102	330








BRAKE SWIVEL WHEEL



	 mm	 mm	 mm	 mm			 kg
802 MLP 080F	80	30	43	110	85*100	60*80	150
802 MLP 100F	100	35	50	140	108*108	77*77	200
802 MLP 125F	125	40	51	169	108*108	77*77	230
802 MLP 150F	150	45	51	191	108*108	77*77	250
802 MLP 200F	200	50	56	239	138*115	75*102	330








ROTATE WHEEL



	 mm	 mm	 mm	 mm			 kg
802 PUB 080	80	30	43	110	85*100	60*80	60
802 PUB 100	100	35	50	140	108*108	77*77	75
802 PUB 125	125	40	51	169	108*108	77*77	110
802 PUB 150	150	45	51	191	108*108	77*77	130
802 PUB 200	200	50	56	239	138*115	75*102	180








STATIONARY WHEEL










	 mm	 mm	 mm	 mm			 kg
805 PUB 080	80	30	43	110	85*100	52*76	60
805 PUB 100	100	35	50	140	83*117	49*92	75
805 PUB 125	125	40	51	169	83*117	49*92	110
805 PUB 150	150	45	51	191	83*117	49*92	130
805 PUB 200	200	50	56	239	138*115	75*102	180

BRAKE SWIWEL WHEEL










	 mm	 mm	 mm	 mm			 kg
802 PUB 080F	80	30	43	110	85*100	60*80	60
802 PUB 100F	100	35	50	140	108*108	77*77	75
802 PUB 125F	125	40	51	169	108*108	77*77	110
802 PUB 150F	150	45	51	191	108*108	77*77	130
802 PUB 200F	200	50	56	239	138*115	75*102	180

ROTATE WHEEL








	 mm	 mm	 mm	 mm	 mm	 mm	 kg
802 RMB 080	80	30	43	110	85*100	60*80	80
802 RMB 100	100	35	50	140	108*108	77*77	110
802 RMB 125	125	40	51	191	108*108	77*77	170
802 RMB 150	150	45	51	169	108*108	77*77	210
802 RMB 200	200	50	56	239	138*115	75*102	320

STATIONARY WHEEL

	 mm	 mm	 mm	 mm	 mm	 mm	 kg
805 RMB 080	80	30	43	110	85*100	52*76	80
805 RMB 100	100	35	50	140	83*117	49*92	110
805 RMB 125	125	40	51	169	83*117	49*92	170
805 RMB 150	150	45	51	191	83*117	49*92	210
805 RMB 200	200	50	56	239	138*115	75*102	320








BRAKE SWIVEL WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
802 RMB 080F	80	30	43	110	85*100	60*80	80
802 RMB 100F	100	35	50	140	108*108	77*77	110
802 RMB 125F	125	40	51	169	108*108	77*77	170
802 RMB 150F	150	45	51	191	108*108	77*77	210
802 RMB 200F	200	50	56	239	138*115	75*102	320








ROTATE WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
302 SLP 150	150	45	51	191	138*115	75*102	150
302 SLP 200	200	50	56	239	138*115	75*102	180








STATIONARY WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
305 SLP 150	150	45	51	191	138*115	75*102	150
305 SLP 200	200	50	56	239	138*115	75*102	180








BRAKE SWIVEL WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
302 SLP 150F	150	45	51	191	138*115	75*102	150
302 SLP 200F	200	50	56	239	138*115	75*102	180








ROTATE WHEEL




	 mm	 mm	 mm	 mm			 kg
102 RPB 055	55	25	31	88	70*85	48*63	140
102 RPB 080	80	30	43	108	92*118	63*89	200
102 RPB 100	100	35	56	140	115*137	75*103	350
102 RPB 125	125	40	56	170	115*137	75*103	450
102 RPB 150	150	45	51	190	115*137	75*103	600
102 RPB 200	200	50	56	252	115*137	75*103	800








STATIONARY WHEEL



	 mm	 mm	 mm	 mm			 kg
105 RPB 055	55	25	31	88	70*85	48*63	140
105 RPB 080	80	30	43	108	92*118	63*89	200
105 RPB 100	100	35	56	140	115*137	75*103	350
105 RPB 125	125	40	56	170	115*137	75*103	450
105 RPB 150	150	45	51	190	115*137	75*103	600
105 RPB 200	200	50	56	252	115*137	75*103	800








BRAKE SWIWEL WHEEL



	 mm	 mm	 mm	 mm			 kg
102 RPB 055F	55	25	31	88	70*85	48*63	140
102 RPB 080F	80	30	43	108	92*118	63*89	200
102 RPB 100F	100	35	56	140	115*137	75*103	350
102 RPB 125F	125	40	56	170	115*137	75*103	450
102 RPB 150F	150	45	51	190	115*137	75*103	600
102 RPB 200F	200	50	56	252	115*137	75*103	800








ROTATE WHEEL



	 mm	 mm	 mm	 mm			 kg
102 DDR 055	55	25	31	88	70*85	48*63	150
102 DDR 080	80	30	43	108	92*118	63*89	200
102 DDR 100	100	35	56	140	115*137	75*103	450
102 DDR 125	125	40	56	170	115*137	75*103	600
102 DDR 150	150	45	51	190	115*137	75*103	800
102 DDR 200	200	50	56	252	115*137	75*103	1000








STATIONARY WHEEL



	 mm	 mm	 mm	 mm			 kg
105 DDR 055	55	25	31	88	70*85	48*63	150
105 DDR 080	80	30	43	108	92*118	63*89	200
105 DDR 100	100	35	56	140	115*137	75*103	450
105 DDR 125	125	40	56	170	115*137	75*103	600
105 DDR 150	150	45	51	190	115*137	75*103	800
105 DDR 200	200	50	56	252	115*137	75*103	1000








BRAKE SWIWEL WHEEL



	 mm	 mm	 mm	 mm			 kg
102 DDR 055F	55	25	31	88	70*85	48*63	150
102 DDR 080F	80	30	43	108	92*118	63*89	200
102 DDR 100F	100	35	56	140	115*137	75*103	450
102 DDR 125F	125	40	56	170	115*137	75*103	600
102 DDR 150F	150	45	51	190	115*137	75*103	800
102 DDR 200F	200	50	56	252	115*137	75*103	1000








ROTATE WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 DDR 055	55	25	31	88	70*85	48*63	150
102 DDR 080	80	30	43	108	92*118	63*89	200
102 DDR 100	100	35	56	140	115*137	75*103	450
102 DDR 125	125	40	56	170	115*137	75*103	600
102 DDR 150	150	45	51	190	115*137	75*103	800
102 DDR 200	200	50	56	252	115*137	75*103	1000








STATIONARY WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
105 DDR 055	55	25	31	88	70*85	48*63	150
105 DDR 080	80	30	43	108	92*118	63*89	200
105 DDR 100	100	35	56	140	115*137	75*103	450
105 DDR 125	125	40	56	170	115*137	75*103	600
105 DDR 150	150	45	51	190	115*137	75*103	800
105 DDR 200	200	50	56	252	115*137	75*103	1000








BRAKE SWIVEL WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 DDR 055F	55	25	31	88	70*85	48*63	150
102 DDR 080F	80	30	43	108	92*118	63*89	200
102 DDR 100F	100	35	56	140	115*137	75*103	450
102 DDR 125F	125	40	56	170	115*137	75*103	600
102 DDR 150F	150	45	51	190	115*137	75*103	800
102 DDR 200F	200	50	56	252	115*137	75*103	1000








ROTATE WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 PUB 055F	55	25	31	88	70*85	48*63	150
102 PUB 080F	80	30	43	108	92*118	63*89	200
102 PUB 100F	100	35	56	140	115*137	75*103	450
102 PUB 125F	125	40	56	170	115*137	75*103	600
102 PUB 150F	150	45	51	190	115*137	75*103	800
102PUB 200F	200	50	56	252	115*137	75*103	1000








STATIONARY WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 PUB 055	55	25	31	88	70*85	48*63	150
102 PUB 080	80	30	43	108	92*118	63*89	200
102 PUB 100	100	35	56	140	115*137	75*103	450
102 PUB 125	125	40	56	170	115*137	75*103	600
102 PUB 150	150	45	51	190	115*137	75*103	800
102 PUB 200	200	50	56	252	115*137	75*103	1000








BRAKE SWIWEL WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
105 PUB 055	55	25	31	88	70*85	48*63	150
105 PUB 080	80	30	43	108	92*118	63*89	200
105 PUB 100	100	35	56	140	115*137	75*103	450
105 PUB 125	125	40	56	170	115*137	75*103	600
105 PUB 150	150	45	51	190	115*137	75*103	800
105 PUB 200	200	50	56	252	115*137	75*103	1000








ROTATE WHEEL




	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 PUB 055	55	25	31	88	70*85	48*63	150
102 PUB 080	80	30	43	108	92*118	63*89	200
102 PUB 100	100	35	56	140	115*137	75*103	450
102 PUB 125	125	40	56	170	115*137	75*103	600
102 PUB 150	150	45	51	190	115*137	75*103	800
102 PUB 200	200	50	56	252	115*137	75*103	1000








STATIONARY WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
105 PUB 055	55	25	31	88	70*85	48*63	150
105 PUB 080	80	30	43	108	92*118	63*89	200
105 PUB 100	100	35	56	140	115*137	75*103	450
105 PUB 125	125	40	56	170	115*137	75*103	600
105 PUB 150	150	45	51	190	115*137	75*103	800
105 PUB 200	200	50	56	252	115*137	75*103	1000








BRAKE SWIWEL WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 PUB 055F	55	25	31	88	70*85	48*63	150
102 PUB 080F	80	30	43	108	92*118	63*89	200
102 PUB 100F	100	35	56	140	115*137	75*103	450
102 PUB 125F	125	40	56	170	115*137	75*103	600
102 PUB 150F	150	45	51	190	115*137	75*103	800
102PUB 200F	200	50	56	252	115*137	75*103	1000








ROTATE WHEEL




	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 PUR 055	55	25	31	88	70*85	48*63	150
102 PUR 080	80	30	43	108	92*118	63*89	200
102 PUR 100	100	35	56	140	115*137	75*103	450
102 PUR 125	125	40	56	170	115*137	75*103	600
102 PUR 150	150	45	51	190	115*137	75*103	800
102 PUR 200	200	50	56	252	115*137	75*103	1000








STATIONARY WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
105 PUR 055	55	25	31	88	70*85	48*63	150
105 PUR 080	80	30	43	108	92*118	63*89	200
105 PUR 100	100	35	56	140	115*137	75*103	450
105 PUR 125	125	40	56	170	115*137	75*103	600
105 PUR 150	150	45	51	190	115*137	75*103	800
105 PUR 200	200	50	56	252	115*137	75*103	1000








BRAKE SWIWEL WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 PUR 055F	55	25	31	88	70*85	48*63	150
102 PUR 080F	80	30	43	108	92*118	63*89	200
102 PUR 100F	100	35	56	140	115*137	75*103	450
102 PUR 125F	125	40	56	170	115*137	75*103	600
102 PUR 150F	150	45	51	190	115*137	75*103	800
102 PUR 200F	200	50	56	252	115*137	75*103	1000








ROTATE WHEEL



	 mm	 mm	 mm	 mm			 kg
102 RMB 055	55	25	31	88	70*85	48*63	150
102 RMB 080	80	30	43	108	92*118	63*89	200
102 RMB 100	100	35	56	140	115*137	75*103	350
102 RMB 125	125	40	56	170	115*137	75*103	450
102 RMB 150	150	45	51	190	115*137	75*103	600
102 RMB 200	200	50	56	252	115*137	75*103	800








STATIONARY WHEEL



	 mm	 mm	 mm	 mm			 kg
105 RMB 055	55	25	31	88	70*85	48*63	140
105 RMB 080	80	30	43	108	92*118	63*89	200
105 RMB 100	100	35	56	140	115*137	75*103	350
105 RMB 125	125	40	56	170	115*137	75*103	450
105 RMB 150	150	45	51	190	115*137	75*103	600
105 RMB 200	200	50	56	252	115*137	75*103	800








BRAKE SWIWEL WHEEL



	 mm	 mm	 mm	 mm			 kg
102 RMB 055F	55	25	31	88	70*85	48*63	140
102 RMB 080F	80	30	43	108	92*118	63*89	200
102 RMB 100F	100	35	56	140	115*137	75*103	350
102 RMB 125F	125	40	56	170	115*137	75*103	450
102 RMB 150F	150	45	51	190	115*137	75*103	600
102 RMB 200F	200	50	56	252	115*137	75*103	800








ROTATE WHEEL



	 mm	 mm	 mm	 mm			 kg
102 SLP 080	80	30	43	108	92*118	63*89	200
102 SLP 100	100	35	56	140	115*137	75*103	350
102 SLP 125	125	40	51	170	115*137	75*103	450
102 SLP 150	150	45	51	190	115*137	75*103	600
102 SLP 200	200	50	56	252	115*137	75*103	800








STATIONARY WHEEL



	 mm	 mm	 mm	 mm			 kg
105 SLP 080	80	30	43	108	92*118	63*89	200
105 SLP 100	100	35	56	140	115*137	75*103	350
105 SLP 125	125	40	51	170	115*137	75*103	450
105 SLP 150	150	45	51	190	115*137	75*103	600
105 SLP 200	200	50	56	252	115*137	75*103	800








BRAKE SWIVEL WHEEL




	 mm	 mm	 mm	 mm			 kg
102 SLP 080F	80	30	43	108	92*118	63*89	200
102 SLP 100F	100	35	56	140	115*137	75*103	350
102 SLP 125F	125	40	51	170	115*137	75*103	450
102 SLP 150F	150	45	51	190	115*137	75*103	600
102 SLP 200F	200	50	56	252	115*137	75*103	800








ROTATE WHEEL




	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 DUR 055	55	25	31	88	70*85	48*63	150
102 DUR 080	80	30	43	108	92*118	63*89	200
102 DUR 100	100	35	56	140	115*137	75*103	450
102 DUR 125	125	40	56	170	115*137	75*103	600
102 DUR 150	150	45	51	190	115*137	75*103	800
102 DUR 200	200	50	56	252	115*137	75*103	1000








STATIONARY WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
105 DUR 055	55	25	31	88	70*85	48*63	150
105 DUR 080	80	30	43	108	92*118	63*89	200
105 DUR 100	100	35	56	140	115*137	75*103	450
105 DUR 125	125	40	56	170	115*137	75*103	600
105 DUR 150	150	45	51	190	115*137	75*103	800
105 DUR 200	200	50	56	252	115*137	75*103	1000








BRAKE SWIWEL WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 DUR 055F	55	25	31	88	70*85	48*63	150
102 DUR 080F	80	30	43	108	92*118	63*89	200
102 DUR 100F	100	35	56	140	115*137	75*103	450
102 DUR 125F	125	40	56	170	115*137	75*103	600
102 DUR 150F	150	45	51	190	115*137	75*103	800
102 DUR 200F	200	50	56	252	115*137	75*103	1000








ROTATE WHEEL




	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 BBC 080	80	30	43	108	92*118	63*89	200
102 BBC 100	100	35	56	140	115*137	75*103	450








STATIONARY WHEEL




	 mm	 mm	 mm	 mm	 mm	 mm	 kg
105 BBC 080	80	30	43	108	92*118	63*89	200
105 BBC 100	100	35	56	140	115*137	75*103	450








BRAKE SWIWEL WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
102 BBC 080F	80	30	43	108	92*118	63*89	200
102 BBC 100F	100	35	56	140	115*137	75*103	450








ROTATE WHEEL




	 mm	 mm	 mm	 mm			 kg
402 DDR 150	150	45	51	220	110*140	80*105	800
402 DDR 200	200	50	56	265	110*140	80*105	1000
402 DDR 250	250	60	62	320	110*140	80*105	1200








STATIONARY WHEEL



	 mm	 mm	 mm	 mm			 kg
405 DDR 150	150	45	51	220	110*140	80*105	800
405 DDR 200	200	50	56	265	110*140	80*105	1000
405 DDR 250	250	60	62	320	110*140	80*105	1200








BRAKE SWIVEL WHEEL



	 mm	 mm	 mm	 mm			 kg
402 DDR 150F	150	45	51	220	110*140	80*105	800
402 DDR 200F	200	50	56	265	110*140	80*105	1000
402 DDR 250F	250	60	62	320	110*140	80*105	1200








ROTATE WHEEL




	 mm	 mm	 mm	 mm	 mm	 mm	 kg
402 DUR 150	150	45	51	220	110*140	80*105	800
402 DUR 200	200	50	56	265	110*140	80*105	1000
402 DUR 250	250	60	62	320	110*140	80*105	1200








STATIONARY WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
405 DUR 150	150	45	51	220	110*140	80*105	800
405 DUR 200	200	50	56	265	110*140	80*105	1000
405 DUR 250	250	60	62	320	110*140	80*105	1200








BRAKE SWIVEL WHEEL



	 mm	 mm	 mm	 mm	 mm	 mm	 kg
402 DUR 150F	150	45	51	220	110*140	80*105	800
402 DUR 200F	200	50	56	265	110*140	80*105	1000
402 DUR 250F	250	60	62	320	110*140	80*105	1200








ROTATE WHEEL



	 mm	 mm	 mm	 mm			 kg
402 RPR 150	150	45	51	220	110*140	80*105	700
402 RPR 200	200	50	56	265	110*140	80*105	800
402 RPR 250	250	60	62	320	110*140	80*105	1000








STATIONARY WHEEL



	 mm	 mm	 mm	 mm			 kg
405 RPR 150	150	45	51	220	110*140	80*105	700
405 RPR 200	200	50	56	265	110*140	80*105	800
405 RPR 250	250	60	62	320	110*140	80*105	1000








BRAKE SWIWEL WHEEL



	 mm	 mm	 mm	 mm			 kg
402 RPR 150F	150	45	51	220	110*140	80*105	700
402 RPR 200F	200	50	56	265	110*140	80*105	800
402 RPR 250F	250	60	62	320	110*140	80*105	1000








ROTATE WHEEL



	 mm	 mm	 mm	 mm			 kg
1002 DUR 080	80	70	74	135	110*140	80*105	600








STATIONARY WHEEL



	 mm	 mm	 mm	 mm			 kg
1005 DUR 080	80	70	74	135	110*140	80*105	600










ROTATE WHEEL

	 mm	 mm	 mm	 mm			 kg
502 DDR 150	150	45	51	220	140*175	105*140	800
502 DDR 200	200	50	56	260	140*175	105*140	1100
502 DDR 250	250	60	64	320	140*175	105*140	1400










STATIONARY WHEEL

	 mm	 mm	 mm	 mm			 kg
505 DDR 150	150	45	51	220	140*175	105*140	800
505 DDR 200	200	50	56	260	140*175	105*140	1100
505 DDR 250	250	60	64	320	140*175	105*140	1400










BRAKE SWIWEL WHEEL

	 mm	 mm	 mm	 mm			 kg
502 DDR 150F	150	45	51	220	140*175	105*140	800
502 DDR 200F	200	50	56	260	140*175	105*140	1100
502 DDR 250F	250	60	64	320	140*175	105*140	1400








ROTATE WHEEL



	 mm	 mm	 mm	 mm			 kg
502 DUR 150	150	45	51	220	140*175	105*140	800
502 DUR 200	200	50	56	260	140*175	105*140	1100
502 DUR 250	250	60	64	320	140*175	105*140	1400
502 DUR 300	300	80	71	364	140*175	105*140	1600








STATIONARY WHEEL



	 mm	 mm	 mm	 mm			 kg
505 DUR 150	150	45	51	220	140*175	105*140	800
505 DUR 200	200	50	56	260	140*175	105*140	1100
502 DUR 250	250	60	64	320	140*175	105*140	1400
502 DUR 300	300	80	71	364	140*175	105*140	1600








BRAKE SWIVEL WHEEL



	 mm	 mm	 mm	 mm			 kg
502 DUR 150F	150	45	51	220	140*175	105*140	800
502 DUR 200F	200	50	56	260	140*175	105*140	1100
502 DUR 250F	250	60	64	320	140*175	105*140	1400
502 DUR 300F	300	80	71	364	140*175	105*140	1600








ROTATE WHEEL



	 mm	 mm	 mm	 mm			 kg
502 RPR 150	150	45	51	220	140*175	105*140	600
502 RPR 200	200	50	56	260	140*175	105*140	900
502 RPR 250	250	60	64	320	140*175	105*140	1200
502 RPR 300	300	80	71	364	140*175	105*140	1400








STATIONARY WHEEL







	 mm	 mm	 mm	 mm			 kg
505 RPR 150	150	45	51	220	140*175	105*140	600
505 RPR 200	200	50	56	260	140*175	105*140	900
502 RPR 250	250	60	64	320	140*175	105*140	1200
502 RPR 300	300	80	71	364	140*175	105*140	1400

BRAKE SWIVEL WHEEL







	 mm	 mm	 mm	 mm			 kg
502 RPR 150F	150	45	51	220	140*175	105*140	600
502 RPR 200F	200	50	56	260	140*175	105*140	900
502 RPR 250F	250	60	64	320	140*175	105*140	1200
502 RPR 300F	300	80	71	364	140*175	105*140	1400







	 mm	 mm	 mm	 kg
80*30 DUR	80	30	41	200
100*35 DUR	100	35	56	450
125*40 DUR	125	40	56	600
150*45 DUR	150	45	51	800
200*50 DUR	200	50	56	1000







	 mm	 mm	 mm	 kg
100*35 DDR	100	35	56	450
125*40 DDR	125	40	56	600
150*45 DDR	150	45	51	800
200*50 DDR	200	50	56	1000







	 mm	 mm	 mm	 kg
55*25 PUR	55	25	31	100
80*30 PUR	80	30	41	120
100*35 PUR	100	35	56	160
125*40 PUR	125	40	56	250
150*45 PUR	150	45	51	350
200*50 PUR	200	50	56	600







	 mm	 mm	 mm	 kg
200*50 SLR	200	50	56	220
250*50 SLR	250	50	61	300
250*80 SLR	250	80	110	500
300*60 SLR	300	60	68	350







	 mm	 mm	 mm	 kg
100*35 RPR	100	35	51	200
125*40 RPR	125	40	51	350
150*45 RPR	150	45	51	400
200*50 RPR	200	50	56	600







	 mm	 mm	 mm	 kg
80*30 SLP	80	30	41	65
100*35 SLP	100	35	42	100
125*40 SLP	125	40	45	130
150*45 SLP	150	45	51	160
160*45 SLP	160	45	51	170
170*45 SLP	170	45	51	170
200*50 SLP	200	50	56	220
250*50 SLP	250	50	61	300
300*60 SLP	300	60	68	350







	 mm	 mm	 mm	 kg
55*25 DDB	55	25	31	150
80*30 DDB	80	30	41	200
100*35 DDB	100	35	56	450
125*40 DDB	125	40	56	600
150*45 DDB	150	45	51	800
200*50 DDB	200	50	56	1000







	 mm	 mm	 mm	 kg
80*30 BBC	80	30	41	120
100*35 BBC	100	35	56	150






	 mm	 mm	 mm	 kg
80*30 MLP	80	30	41	60
100*35 MLP	100	35	56	80
125*40 MLP	125	40	56	100
150*45 MLP	150	45	51	120
200*50 MLP	200	50	56	160
250*50 MLP	250	50	60	200







	 mm	 mm	 mm	 kg
50*20 RPB	50	20	22	40
75*25 RPB	75	25	28	50
55*25 RPB	55	25	31	140
80*30 RPB	80	30	41	200
100*35 RPB	100	35	56	300
125*40 RPB	125	40	56	350
150*45 RPB	150	45	51	400
200*50 RPB	200	50	51	600



	 mm	 mm	 mm	 kg
55*25 PUB	55	25	31	140
80*30 PUB	80	30	41	120
100*35 PUB	100	35	56	160
125*40 PUB	125	40	56	250
150*45 PUB	150	45	51	350
200*50 PUB	200	50	56	600



	 mm	 mm	 mm	 kg
50*20 RMB	50	20	22	30
75*25 RMB	75	25	28	50
55*25 RMB	55	25	31	100
80*30 RMB	80	30	41	150
100*35 RMB	100	35	56	200
125*40 RMB	125	40	56	350
150*45 RMB	150	45	51	400
200*50 RMB	200	50	51	600



ROTATE WHEEL

STATIONARY WHEEL

BRAKE SWIVEL WHEEL



ROTATE WHEEL

STATIONARY WHEEL

BRAKE SWIVEL WHEEL



ROTATE WHEEL

STATIONARY WHEEL

BRAKE SWIVEL WHEEL